

Clinical Trial Protocol

Iranian Registry of Clinical Trials

10 Jun 2026

Partial Lateral Internal Sphincterotomy Versus Combined Botulinum Toxin A Injection and Topical Application of Diltiazem in treatment of chronic anal fissure

Protocol summary

Summary

Objectives: A randomized control trial is performed to compare efficacy and complications of combined topical diltiazem (DTZ) gel and botulinum toxin A injection (BTA) versus partial lateral internal sphincterotomy (PLIS).management of chronic anal fissure remains a challenging issue. PLIS provides high cure rate with the expense of considerable risk of incontinence. DTZ and BTA have been widely used for medical sphincterotomy. However, no study has compared the effectiveness of combined DTZ and BTA with PLIS.Setting: This study conducts at Sina hospital. Design and intervention: 99 patients will randomly assigned to receive combined topical DTZ ointment and BTA injection or partial lateral internal incterotomy (PLIS) . Participants including major eligibility criteria: Diagnosis of chronic anal fissure on physical examination (based on having indurations at the edges and having at least two criteria of these three including skin tag, hypertrophied anal papillae and exposed internal sphincter muscle fiber) by an experienced colorectal surgeon associated with painful defecation for at least 2 month. Main outcome measure variables: Efficacy and complications following each treatment will be evaluated.

General information

Acronym

IRCT registration information

IRCT registration number: **IRCT2013042812294N3**

Registration date: **2013-10-21, 1392/07/29**

Registration timing: **retrospective**

Last update:

Update count: **0**

Registration date

2013-10-21, 1392/07/29

Registrant information

Name

Reza Heydari

Name of organization / entity

School of Medicine, Tehran University of Medical Science

Country

Iran (Islamic Republic of)

Phone

+98 21 7780 7967

Email address

heydari@student.tums.ac.ir

Recruitment status

Recruitment complete

Funding source

Vice chancellor for research, Tehran University of Medical Sciences

Expected recruitment start date

2010-03-21, 1389/01/01

Expected recruitment end date

2012-03-20, 1391/01/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Partial Lateral Internal Sphincterotomy Versus Combined Botulinum Toxin A Injection and Topical Application of Diltiazem in treatment of chronic anal fissure

Public title

Partial Lateral Internal Sphincterotomy Versus Combined Botulinum Toxin A Injection and Topical Application of Diltiazem in Treatment of Chronic Anal Fissure

Purpose

Treatment

Inclusion/Exclusion criteria

Inclusion criteria: diagnosis of chronic anal fissure on physical examination (based on having indurations at the edges and having at least two criteria of these three including skin tag; hypertrophied anal papillae and exposed internal sphincter muscle fiber) by an experienced colorectal surgeon associated with painful defecation for at least 2 month; age between 18 and 100 years old. Exclusion criteria: acute anal fissure (experiencing symptoms less than two months); pregnancy; secondary anal fissure; hypersensitivity to DTZ or BTA; cardiovascular disease; previous history of anal surgery; atypical fissure and chronic headache.

Age

From **18 years** old to **100 years** old

Gender

Both

Phase

2-3

Groups that have been masked

No information

Sample size

Target sample size: **99**

Randomization (investigator's opinion)

Randomized

Randomization description

Blinding (investigator's opinion)

Single blinded

Blinding description

Placebo

Not used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics Committee of Tehran University of Medical Sciences.

Street address

1136746911, Tehran University of Medical Sciences, Corner of Ghods St., Keshavarz Blvd., Tehran, Iran.

City

Tehran

Postal code

1136746911

Approval date

2012-09-16, 1391/06/26

Ethics committee reference number

911301304

Health conditions studied

1

Description of health condition studied

Chronic Anal Fissure

ICD-10 code

K60.1

ICD-10 code description

Chronic Anal Fissure

Primary outcomes

1

Description

wound healing

Timepoint

one week, 1,2,6 and 12 months postoperatively

Method of measurement

Complete Wound Healing (macroscopic epithelialization)

Secondary outcomes

1

Description

complications

Timepoint

, one week, 1,2,6,12 months postoperatively

Method of measurement

physical examination and history taking, VAS

2

Description

Induration, hypertrophied papilla, exposing internal anal sphincter, skin tag

Timepoint

before and after surgery

Method of measurement

physical examination

3

Description

pain

Timepoint

before treatment, 1 week, 1,2,6 and 12 months postoperatively

Method of measurement

visual analog scale

4

Description

chronicity of fissure

Timepoint

before treatment

Method of measurement

history taking

5

Description

fissure localization

Timepoint

before treatment

Method of measurement

physical examination

6

Description

bleeding

Timepoint

before treatment, 1 week, 1,2,6 and 12 months
postoperatively

Method of measurement

history taking

7

Description

pain at night

Timepoint

before treatment, 1 week, 1,2,6 and 12 months
postoperatively

Method of measurement

history taking

8

Description

recurrence

Timepoint

1 ,2,6 and 12 month postoperatively

Method of measurement

history taking and physical examination

Intervention groups

1

Description

Intervention group: Under local anesthesia (with lidocaine 5% gel) on left sided or knee elbow position. BTA is injected into the internal anal sphincter on the both sides of anterior midline in equal doses. These patients will be advised to receive 2% DTZ ointment three times daily for six weeks which applied to the perianal region and anus.

Category

Treatment - Drugs

2

Description

Control group: under spinal anesthesia in the lithotomy position; internal sphincter muscle fibers were partially cut at 3 o'clock position under direct visualization with a transverse incision up to the height of the fissure apex using a cautery. In this study, skin tags and hypertrophied anal papillae were also removed.

Category

Treatment - Surgery

Recruitment centers

1

Recruitment center

Name of recruitment center

Sina Hospital

Full name of responsible person

Dr Ahmadi-amoli

Street address

1136746911, Sina Hospital, Hasanabad Sq.,Tehran

City

Tehran

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Vice chancellor for research, Tehran University of
Medical Sciences

Full name of responsible person

Dr.Akbar Fotouhi

Street address

1417613151, Tehran University of Medical Sciences,
Corner of Ghods St., Keshavarz Blvd., Tehran, Iran.

City

Tehran

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Vice chancellor for research, Tehran University of Medical
Sciences

Proportion provided by this source

100

Public or private sector

empty

Domestic or foreign origin

empty

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

empty

Person responsible for general inquiries

Contact

Name of organization / entity

Tehran University of Medical Sciences, Medical School

Full name of responsible person

Reza Heydari

Position

Medical student

Other areas of specialty/work

Street address

1136746911, Sina Hospital, Hasanabad Sq.,Tehran

City

Tehran

Postal code

Phone

00

Fax

Email

heidari.reza1@yahoo.com

Web page address

Person responsible for scientific inquiries

Contact

Name of organization / entity

Tehran University of Medical Sciences, Sina Hospital,
Surgery Department

Full name of responsible person

Dr Ahmadiamoli

Position

Associate Professor

Other areas of specialty/work

Street address

1136746911, Sina Hospital, Hasanabad Sq.,Tehran

City

Tehran

Postal code

Phone

+98 912 105 5822

Fax

Email

ahmadiam@sina.tums.ac.ir

Web page address

Person responsible for updating data

Contact

Name of organization / entity

Tehran university of medical sciences,School of
medicine

Full name of responsible person

Atefeh Zeinoddini

Position

medical Student

Other areas of specialty/work

Street address

1136746911, Sina Hospital, Hasanabad Sq.,Tehran

City

Tehran

Postal code

Phone

00

Fax

Email

atefe.zeinoddini@gmail.com

Web page address

Sharing plan

Deidentified Individual Participant Data Set (IPD)

empty

Study Protocol

empty

Statistical Analysis Plan

empty

Informed Consent Form

empty

Clinical Study Report

empty

Analytic Code

empty

Data Dictionary

empty