

Clinical Trial Protocol

Iranian Registry of Clinical Trials

11 Sep 2026

Comparison of anesthesia method with combined ketamine / sevoflurane and combined propofol/ketamine and its efficacy on blood pressure and heart rate changes in patients with diagnostic angiography

Protocol summary

Summary

The purpose of this study is Comparison of anesthesia method with combined ketamine / sevoflurane and combined propofol/ketamine and its efficacy on blood pressure and heart rate changes in patients with diagnostic angiography. Patients aged 2 to 8 years, ASA I, II without metabolic, kidney and liver disease will be studied. 60 patient referred to Sina Hospital Tehran divided into 2 groups. In the first group, induction of anesthesia will be performed with ketamine and will be maintained with sevoflurane and the Laryngeal mask airway. In the second group, induction and maintenance of anesthesia will be performed with mixed propofol / ketamine and Laryngeal mask airway. In each group, heart rate, respiratory rate and arterial blood pressure will be checked and the 2 groups will be compared with each other.

General information

Acronym

IRCT registration information

IRCT registration number: **IRCT2015013012642N12**
Registration date: **2015-02-27, 1393/12/08**
Registration timing: **prospective**

Last update:

Update count: **0**

Registration date

2015-02-27, 1393/12/08

Registrant information

Name

Majid Golestani Eraghi

Name of organization / entity

Shahid Beheshti University Of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 21 3336 0547

Email address

dr.golestani@arakmu.ac.ir

Recruitment status

Recruitment complete

Funding source

Vice Chancellor for Research and Technology of Tehran
University of Medical Sciences

Expected recruitment start date

2015-03-01, 1393/12/10

Expected recruitment end date

2015-05-22, 1394/03/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of anesthesia method with combined ketamine / sevoflurane and combined propofol/ketamine and its efficacy on blood pressure and heart rate changes in patients with diagnostic angiography

Public title

The effect of anesthetic drugs on blood pressure and heart rate changes in patients with diagnostic angiography

Purpose

Prevention

Inclusion/Exclusion criteria

inclusion criteria: ASA I,II, Children 2 to 8 years, Written consent from the parent
exclusion criteria: patients with pulmonary, hepatic, renal and metabolic disease, Patients with a prior history of cardiac and thoracic surgery, Patients who need more airway support and

pulmonary care

Age
From **2 years** old to **8 years** old

Gender
Both

Phase
1-2

Groups that have been masked
No information

Sample size
Target sample size: **60**

Randomization (investigator's opinion)
Randomized

Randomization description

Blinding (investigator's opinion)
Double blinded

Blinding description

Placebo
Not used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee
Research Ethics Committee of Tehran University of Medical Sciences

Street address
Ghods Ave, Keshavarz Boulevard

City
Tehran

Postal code

Approval date
2013-12-17, 1392/09/26

Ethics committee reference number
2172

Health conditions studied

1

Description of health condition studied
Effects of anesthetic drugs in diagnostic angiography

ICD-10 code
T88.7

ICD-10 code description
Unspecified adverse effect of drug or medicament

Primary outcomes

1

Description

Arterial oxygen pressure

Timepoint
Before and after induction of anesthesia

Method of measurement
arterial blood gaz analyzer device in mmHg

2

Description
Blood Pressure

Timepoint
Before and after induction of anesthesia

Method of measurement
Non-invasive barometer in mm Hg

Secondary outcomes

1

Description
Arterial pressure of carbon dioxide

Timepoint
Before and after induction of anesthesia.

Method of measurement
By the analyzer device in mmHg

2

Description
arterial pulmonary blood pressure

Timepoint
Before and after induction of anesthesia.

Method of measurement
by angiography in mmHg

Intervention groups

1

Description
in The first group, induction of anesthesia with intravenous injection ketamine with dose of one mg per killogeram and receive sevoflurane will started. After 3 minutes, Laryngeal mask airway will be inserted

Category
Prevention

2

Description
In the second group solution containing of 80 mg per liter ketamine / propofol and 0.1 mg per killogeram of the prepared solution was administered for induction of anesthesia then Anesthesia will performe with infusion of 0.01 mg per killogeram per minute of solution.Laryngeal mask will be inserted after 3 minutes

Category
Prevention

Recruitment centers

1

Recruitment center

Name of recruitment center

Children Medical Center Hospital

Full name of responsible person

Majid Golestani Eraghi

Street address

Doctor Mohamed Gharib St, Keshavarz Boulevard

City

Tehran

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Vice Chancellor for Research and Technology of
Tehran University of Medical Sciences

Full name of responsible person

Masood Yoonesian

Street address

Central Organization of Tehran University of Medical
Sciences, Ghods Ave, Keshavarz Boulevard

City

Tehran

Grant name

Grant code / Reference number

**Is the source of funding the same sponsor
organization/entity?**

Yes

Title of funding source

Vice Chancellor for Research and Technology of Tehran
University of Medical Sciences

Proportion provided by this source

100

Public or private sector

empty

Domestic or foreign origin

empty

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

empty

Person responsible for general inquiries

Contact

Person responsible for scientific inquiries

Contact

Name of organization / entity

Department of Anesthesiology, Tehran University of

Medical Sciences

Full name of responsible person

Behrang Nooralishahi

Position

Anesthesiologist

Other areas of specialty/work

Street address

Keshavarz Boulevard, Doctor Mohamed Gharib St.

City

Tehran

Postal code

Phone

00

Fax

Email

b-nooralishahi@sina.tums.ac.ir

Web page address

Person responsible for updating data

Contact

Name of organization / entity

Department of Anesthesiology, Shahid Beheshti
University of Medical Sciences

Full name of responsible person

Majid Golestani Eraghi

Position

Fellowship specialty anesthesia and intensive care

Other areas of specialty/work

Street address

Masih Daneshvari Hospital, Darabad Ave

City

Tehran

Postal code

Phone

+98 21 2712 2525

Fax

Email

dr.golestani@sbmu.ac.ir

Web page address

Sharing plan

Deidentified Individual Participant Data Set (IPD)

empty

Study Protocol

empty

Statistical Analysis Plan

empty

Informed Consent Form

empty

Clinical Study Report

empty

Analytic Code

empty

Data Dictionary

empty