

Clinical Trial Protocol

Iranian Registry of Clinical Trials

11 Sep 2026

Comparison of the Response To First-Intramuscular (IM) Injection Pain In Newborns With And Without Skin To Skin Contact

Protocol summary

Study aim

To examine the effect of skin to skin (STS) contact on first IM injection pain in newborns

Design

Randomized controlled single blind clinical trial in newborns with a sample size of 60.

Settings and conduct

Place of the study: Zeynep Kamil Hospital, Itanbul.
Blinding method and process: In the intervention group, the mothers (and their babies) will not be informed about why IM injection is administered during STSC.

Participants/Inclusion and exclusion criteria

Inclusion: Literate mother, Mother aged between 18-35 years, Mother giving birth to between 37-41 weeks of gestation, Mother having no chronic disease, Mother delivering her baby in a cephalic position, Mother giving birth through vaginal delivery, Mother having no mental or psychological problem, Newborn having 1st-minute APGAR score of 7 or above, Newborn weighing 2500-4000 gr. Exclusion: Mother having breech delivery, having kiwi, vacuum and forceps-assisted delivery, Multiparous, having an APGAR score of 7 or above after any intervention, needing to be observed in the intensive care unit, having congenital anomaly, receiving oxygen treatment, rejecting skin to skin contact after birth

Intervention groups

Intervention Group: Vitamin K will be IM administered from the left leg of newborn at 6th minute after STS. The STS contact procedure will be continued after IM injection. Pain, oxygen saturation, and cardiac apex beat will be assessed in newborn before STS contact (I), at 5th minute of the contact (II), at 5th minute after injection (III) and 5 minutes after the end of STS contact (IV). Control group. STS contact will not be applied. Routine clinical practices will be continued.

Main outcome variables

Pain, Duration of crying

General information

Reason for update

We applied with the public title " The effect of postpartum skin to skin contact on the pain of first - Intramuscular injection to a newborn" However, we changed the public title to "The effect of skin to skin contact on first IM injection pain in newborns" in line with the criticism from you. But we got the institution and ethical permission with the first title we uploaded to the system. These heading differences are stated by the institutions as a problem.

Acronym

IRCT registration information

IRCT registration number: **IRCT20200115046139N1**
Registration date: **2020-04-24, 1399/02/05**
Registration timing: **prospective**

Last update: **2020-06-24, 1399/04/04**

Update count: **1**

Registration date

2020-04-24, 1399/02/05

Registrant information

Name

Leyla Kaya

Name of organization / entity

Faculty of Health Sciences, University of Health Sciences Turkey

Country

Turkey

Phone

+90 216 418 96 16

Email address

leylakaya02@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2020-05-01, 1399/02/12
Expected recruitment end date
 2021-05-01, 1400/02/11
Actual recruitment start date
 empty
Actual recruitment end date
 empty
Trial completion date
 empty

Scientific title
 Comparison of the Response To First-Intramuscular (IM) Injection Pain In Newborns With And Without Skin To Skin Contact

Public title
 The Effect of Postpartum Skin to Skin Contact on the Pain of First Intramuscular Injection to Newborn

Purpose
 Supportive

Inclusion/Exclusion criteria
Inclusion criteria:
 Literate mother and her newborn infant Mother aged between 18-35 years and her newborn infant Mother giving birth to between 37-41 weeks of gestation and her newborn infant Mother having no chronic disease and her newborn infant Mother delivering her baby in a cephalic position and her newborn infant Mother giving birth through vaginal delivery and her newborn infant Mother having no mental or psychological problem and her newborn infant Newborn having 1st-minute APGAR score (scoring system indicating health of newborn) of 7 or above and mother Newborn weighing 2500-4000 gr and mother
Exclusion criteria:
 Mother having breech delivery and her newborn infant Mother having kiwi, vacuum and forceps-assisted delivery and her newborn infant Multiparous mother and her newborn infant Newborn having an APGAR score of 7 or above after any intervention and mother Newborn needing to be observed in the intensive care unit and mother Newborn having congenital anomaly and mother Newborn receiving oxygen treatment and mother Mother rejecting skin to skin contact after birth and her newborn infant

Age
 From **1 day** old to **1 day** old

Gender
 Both

Phase
 N/A

Groups that have been masked

- Participant

Sample size
 Target sample size: **60**

Randomization (investigator's opinion)
 Randomized

Randomization description
 Block randomization will be used. Newborns and their mothers will be assigned to intervention and control groups through block randomization (block size of three).

MedCalc program will be used to determine order of randomization.

Blinding (investigator's opinion)
 Single blinded

Blinding description
 The mother and baby will not be informed about why skin-to-skin contact occurs

Placebo
 Not used

Assignment
 Single

Other design features

Secondary Ids
 empty

Ethics committees

1

Ethics committee
Name of ethics committee
 Clinical Research Ethics Committee of Zeynep Kamil Women's and Children's Diseases Training and Research Hospital
Street address
 No: 10 Üsküdar; Op. Dr. Burhanettin Üstünel street
City
 Istanbul
Postal code
 34668
Approval date
 2019-12-04, 1398/09/13
Ethics committee reference number
 107

Health conditions studied

1

Description of health condition studied
 Pain of First Intramuscular Injection to Newborn

ICD-10 code
ICD-10 code description

Primary outcomes

1

Description
 Pain

Timepoint
 Before the procedure, the 5th minute before the procedure, the 10th minute after the procedure, and the 15th minute after the procedure

Method of measurement
 Neonatal Infant Pain Scale (NIPS)

2

Description
 Crying time

Timepoint

Before the procedure, the 5th minute before the procedure, the 10th minute after the procedure, and the 15th minute after the procedure

Method of measurement

Crying time will be evaluated by timer.

Secondary outcomes

1

Description

Cardiac apex beat

Timepoint

Before the procedure, the 5th minute before the procedure, the 10th minute after the procedure, and the 15th minute after the procedure

Method of measurement

Cardiac apex beat and saturation shall be recorded through a pulse oximeter probe

2

Description

Oxygen saturation

Timepoint

Before the procedure, the 5th minute before the procedure, the 10th minute after the procedure, and the 15th minute after the procedure

Method of measurement

Oxygen saturation shall be recorded through a pulse oximeter probe

Intervention groups

1

Description

Experimental Group: When the baby is born, she/he shall be taken under the radiant heater at the mother's room, the umbilical clamp shall be put, and the umbilical care shall be provided. After the mother and her baby wear a bracelet, the nappy shall be fastened, the baby cap shall be placed, the baby shall be covered with a preheated cover, and the STSC of the mother and her baby shall be provided. Before the mother takes the baby on her lap, the pulse oximeter probe shall be put on the right hand, and the cardiac apex beat and saturation shall be recorded through this method. Then, the NIPS (Neonatal Infant Pain Scale) shall be applied for pain assessment. The duration of crying, pain, cardiac apex beat and saturation shall be recorded before the STSC. when the baby is taken on her mother's lap, the duration of crying, pain, cardiac apex beat and saturation shall be recorded after 5-minute STSC. Vitamin K support shall be given from the left leg, intramuscularly. After the Vitamin K support and additional 5-minute STSC, the duration of crying, pain, cardiac apex beat and saturation shall be recorded. After 10-minute STSC in total, the baby shall be taken under the radiant heater. After 5-minute observation under the radiant heater, the duration of crying, pain, cardiac apex beat and saturation shall be

recorded, and the procedure shall be ended.

Category

Behavior

2

Description

Control group: When the baby is born, s/he shall be taken under the radiant heater at the mother's room, the umbilical clamp shall be put, and the umbilical care shall be provided. After the mother and her baby wear a bracelet, the nappy shall be fastened, and the baby shall stay under the radiant heater. The pulse oximeter probe shall be put on the right hand, and the cardiac apex beat and saturation shall be recorded through this method. Then, the NIPS (Neonatal Infant Pain Scale) shall be applied for pain assessment. The duration of crying, pain, cardiac apex beat and saturation shall be recorded before STSC. After 5-minutes, Vitamin K support shall be given intramuscularly from the left leg immediately after recording of pain, cardiac apex beat and saturation. 5-minutes later, the duration of crying, pain, cardiac apex beat and saturation shall be recorded.

Category

N/A

Recruitment centers

1

Recruitment center

Name of recruitment center

Zeynep Kamil Women's and Children's Diseases Training and Research Hospital

Full name of responsible person

Neriman Zengin

Street address

No: 10 Üsküdar; Op. Dr. Burhanettin Üstünel street

City

Istanbul

Postal code

34668

Phone

+90 216 391 06 80

Fax

+90 216 391 06 90

Email

zkhetikkurulsekretery@gmail.com

Web page address

<https://zeynepkamilkdch.saglik.gov.tr/>

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Faculty of Health Sciences, University of Health Sciences

Full name of responsible person

Neriman Zengin

Street address

No: 38 Üsküdar; Selimiye, Tıbbiye street

City

Istanbul

Postal code

34668

Phone

+90 216 418 96 16

Fax

+90 216 418 96 20

Email

zneriman@yahoo.com

Web page address

<https://www.google.com/search?q=Sa%C4%9Fl%C4%B1k+bilimleri+%C3%BCniversitesi&oq=Sa%C4%9Fl%C4%B1k+bilimleri+%C3%BCniversitesi&aqs=chrome..69i57j0l7.7064j1j8&sourceid=chrome&ie=UTF-8>

Grant name

none

Grant code / Reference number

none

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Faculty of Health Sciences, University of Health Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Faculty of Health Sciences, University of Health Sciences

Full name of responsible person

Leyla Kaya

Position

Ph. D. Student of Midwifery

Latest degree

Master

Other areas of specialty/work

Midwifery

Street address

_38 Üsküdar; Selimiye, Tıbbiye street.

City

Istanbul

Province

Istanbul

Postal code

34668

Phone

+90 216 418 96 16

Email

leylakaya02@gmail.com

Web page address

<https://www.google.com/search?q=Sa%C4%9Fl%C4%B1k+bilimleri+%C3%BCniversitesi&oq=Sa%C4%9Fl%C4%B1k+bilimleri+%C3%BCniversitesi&aqs=chrome..69i57j0l7.7064j1j8&sourceid=chrome&ie=UTF-8>

Person responsible for scientific inquiries

Contact

Name of organization / entity

Faculty of Health Sciences, University of Health Sciences

Full name of responsible person

Leyla Kaya

Position

Ph. D. Student of Midwifery

Latest degree

Master

Other areas of specialty/work

Midwifery

Street address

No: 38 Üsküdar; Selimiye, Tıbbiye street.

City

Istanbul

Province

Istanbul

Postal code

34668

Phone

+90 216 418 96 16

Email

leylakaya02@gmail.com

Web page address

<https://www.google.com/search?q=Sa%C4%9Fl%C4%B1k+bilimleri+%C3%BCniversitesi&oq=Sa%C4%9Fl%C4%B1k+bilimleri+%C3%BCniversitesi&aqs=chrome..69i57j0l7.7064j1j8&sourceid=chrome&ie=UTF-8>

Person responsible for updating data

Contact

Name of organization / entity

Faculty of Health Sciences, University of Health Sciences

Full name of responsible person

Leyla Kaya

Position

Ph. D. Student of Midwifery

Latest degree

Master

Other areas of specialty/work

Midwifery

Street address

No: 38 Üsküdar; Selimiye, Tıbbiye street.

City

Istanbul

Province

Istanbul

Postal code

34668

Phone

+90 216 418 96 16

Email

leylakaya02@gmail.com

Web page address

<https://www.google.com/search?q=Sa%C4%9FI%C4%B1k+bilimleri+%C3%BCniversitesi&oq=Sa%C4%9FI%C4%B1k+bilimleri+%C3%BCniversitesi&aqs=chrome.69i57j0l7.7064j1j8&sourceid=chrome&ie=UTF-8>

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available