

Clinical Trial Protocol

Iranian Registry of Clinical Trials

04 Oct 2023

A phase III, Randomized, Two-armed, Double-blind, Placebo controlled trial to evaluate efficacy and safety of an adjuvanted recombinant SARS-CoV-2 spike (S) protein subunit vaccine (SpikoGen®) produced by CinnaGen Co. (Two doses of 25µg with dosing interval of 21 days)

Protocol summary

Study aim

To evaluate the incidence of COVID-19, 2 weeks after the 2nd dose

Design

A phase III, randomized, two-armed, double-blind, placebo controlled clinical trial with 16876 subjects. Stratified randomization by R-CRAN-version 4.0.1

Settings and conduct

Randomized, two-armed, double-blind, placebo controlled clinical trial in Espinas Palace Hotel, Tehran

Participants/Inclusion and exclusion criteria

50 > age ≥ 18 years who are able to comply with study protocol. Stable medical condition. Women who are not pregnant/breastfeeding. Exclusion: Subjects with active infection with signs of COVID-19 Subjects with T ≥ 38°C at screening/72hr prior. Progressive/severe neurological disorder, dementia, stroke, seizures, history of GBS. High-risk subjects who are prioritized for the national vaccination program, those are treated with immunosuppressive/cytotoxic drugs/systemic corticosteroids at doses ≥ 10mg daily of prednisolone/equivalent doses of other corticosteroids more than 14 days. People with history of SARs to the vaccine. Subjects in clinical trials within 30 days before screening until end of the study who have previously vaccinated against COVID-19. They received other authorized vaccines within 28 days prior to the screening/intend to receive vaccine up to 2 weeks after second dose. People with bleeding disorder who received/intend to receive any blood/blood products 90 days or donated ≥ 450ml 28 days prior to screening. Subjects given vaccination within 2 months after participating in the study, according to the national immunization/Subjects with ESRD/dawn syndrome/BMI ≥ 40/CF/COPD/PAH/uncontrolled (asthma/HTN/DM)

Intervention groups

1IM injection of 25 ug subunit vaccine with Advax-CpG adjuvant on day 0 and 21 Placebo: 1IM injection of normal saline (0.9% saline) on day 0 and 21

Main outcome variables

Evaluation of Covid-19 disease 14 days after the 2nd dose. Evaluation of severe cases of COVID-19 disease 14 days after the 2nd dose

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20150303021315N24**
Registration date: **2021-08-03, 1400/05/12**
Registration timing: **prospective**

Last update: **2021-08-03, 1400/05/12**

Update count: **0**

Registration date

2021-08-03, 1400/05/12

Registrant information

Name

Nassim Anjidani

Name of organization / entity

Orchid Pharmed

Country

Iran (Islamic Republic of)

Phone

+98 21 4347 3000

Email address

amini@orchidpharmed.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2021-08-04, 1400/05/13

Expected recruitment end date

2021-09-22, 1400/06/31

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

A phase III, Randomized, Two-armed, Double-blind, Placebo controlled trial to evaluate efficacy and safety of an adjuvanted recombinant SARS-CoV-2 spike (S) protein subunit vaccine (SpikoGen®) produced by CinnaGen Co. (Two doses of 25µg with dosing interval of 21 days)

Public title

Evaluation of efficacy and safety of SpikoGen® vaccine on adults to prevent COVID-19 disease

Purpose

Prevention

Inclusion/Exclusion criteria**Inclusion criteria:**

Men or women 50 > age ≥ 18 Participants who are willing and able to comply with study requirements, including all scheduled visits, vaccinations and tests Healthy adults or adults with stable medical conditions Women eligible to participate in the study who are not pregnant or breastfeeding

Exclusion criteria:

Subjects with active infection with SARS-COV-2 signs at the screening visit Subjects with body temperature equal or more than 38 degrees centigrade, during 72 hours before screening visit or during the visit Subjects with any progressive or severe neurological disorder, including dementia, stroke, seizures, or a history of Guillain-Barre syndrome High-risk subjects who are prioritized for the national vaccination program, those are treated with immunosuppressive drugs or cytotoxic drugs, or systemic corticosteroids at doses ≥ 10 mg daily of prednisolone or equivalent doses of other corticosteroids more than 14 days Pregnant women, or breastfeeding mothers, or women who plan to become pregnant during the study Subjects who have a history of severe allergic reactions (e.g. anaphylaxis) to the study vaccine or any components of the vaccine or any other drugs Subjects who have received any other investigational product within 30 days prior to the screening visit or intend to participate in other clinical studies during this trial Subjects who have been vaccinated with other vaccines against the SARS-CoV-2 virus Subjects who received other authorized vaccines within 28 days prior to the screening visit in this study or intend to receive any vaccines up to 14 days after the second vaccination Subjects who have any known bleeding disorder or may have problems with the intramuscular injection according to the researcher's opinion Subjects who have received or intend to receive any blood / plasma or immunoglobulin products 90 days prior to the screening visit Subjects with special circumstances who, may increase the risk of

participating in the study or interfering with the evaluation of the primary endpoints of the study according to researcher's opinion Subjects who have donated ≥450 ml of blood or blood products 28 days prior to the screening visit Subjects who are given the priority of vaccination within 2 months after participating in the study, according to the national immunization program Subjects with ESRD Subjects with dawn syndrome Subjects with BMI ≥ 40 Subjects with cystic fibrosis, COPD, PAH Subjects with uncontrolled asthma Subjects with uncontrolled hypertension Subjects with uncontrolled diabetes Mellitus

AgeFrom **18 years** old to **50 years** old**Gender**

Both

Phase

3

Groups that have been masked

- Participant
- Care provider
- Investigator
- Outcome assessor

Sample sizeTarget sample size: **16876****Randomization (investigator's opinion)**

Randomized

Randomization description

Eligible patients will be assigned to treatment using a stratified randomization by R-CRAN-version 4.0.1. Randomization will be stratified according to two factors: Age (Below the age of 40- equal or above the age of 40 - below 50) After randomization procedure, a code will be allocated to each patient that will be used as patient identifier throughout the study. The assigned code will be denoted by 4 initials (corresponding to the first two letters of first name, first two letters of surname) and 3 numbers (center code). Moreover, the described code is followed by study unique identification code consisting of first three letters of the generic name of the investigational product, i.e. VAC and five numbers (corresponding to the randomization number), e.g. ABCD001VAC-00001. Each vaccine syringe has a unique code that differs from the rest of the vaccines. The CRO is responsible for preparing the unique codes. Therefore, only the CRO knows each code for the vaccine (manufactured by CinnaGen) or placebo (0.9% normal saline). In case of enrollment, each subject will be given a randomization code and will be assigned to one of the groups. During each visit, a vaccine with a specific code will be given to the subject. The CRO will monitor how subjects are assigned to the treatment groups

Blinding (investigator's opinion)

Double blinded

Blinding description

The vaccine and the placebo have the same research label and are suitable for the vaccine boxes and syringes. The contents of the labels are based on EMA regulation. The SpikoGen® vaccine or placebo are packaged in the same way. Unique codes are printed on

the vaccine and placebo labels, and each vaccine is linked to the participant through this unique code. Participants and medical staff are not aware of the vaccine or placebo. The type of participants group and the type of vaccine they received will not be known for investigators and will be stored in opaque sealed envelopes at the center. Decoding or blind breaking, under special circumstances, is the responsibility of the DSMB Committee. Decoding for a participant is done by the investigator of the center, when all of the possibilities in the occurrence of the event are evaluated and rejected. The vaccine or the placebo is recognized as the most important factor in the occurrence of an event or management of its complications which lead to special treatment for the participant and a decision that is not possible without decoding.

Placebo

Used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Iran National Committee for Ethics in Biomedical Research.

Street address

Floor 13, Block A, Ministry of Health & Medical Education Headquarters, Between Zarafashan & South Falamak, Qods Town, Tehran, Iran.

City

Tehran

Province

Tehran

Postal code

1467664961

Approval date

2021-07-28, 1400/05/06

Ethics committee reference number

IR.NREC.1400.005

Health conditions studied**1****Description of health condition studied**

COVID-19

ICD-10 code

U07.1

ICD-10 code description

COVID-19, virus identified

Primary outcomes**1****Description**

Evaluation of COVID-19 incidence

Timepoint

14 days after the second dose

Method of measurement

Participants must have at least two of the following systemic symptoms: fever (38 ° C), chills, myalgia, headache, sore throat, nausea, vomiting, diarrhea, nasal discharge, new olfactory disorder, "or" the participant must have experienced at least one of the following respiratory signs and symptoms: cough, shortness of breath, clinical or radiographic evidence of pneumonia "and" at least one positive PCR test for SARS-CoV-2

2**Description**

Evaluation of severe COVID-19 incidence

Timepoint

14 days after the second dose

Method of measurement

If the patient has any of the following symptoms, is classified as severe type of COVID-19: respiratory rate ≥ 30 per minute. Heart rate ≥ 125 per minute. Oxygen saturation $\leq 93\%$ in ambient air. Respiratory failure or acute respiratory distress syndrome (ARDS) or (requires high-flow oxygen or non-invasive or mechanical ventilation or ECMO) Evidence of shock (systolic blood pressure < 90 mm Hg, diastolic blood pressure < 60 mm Hg) or the need for vasopressors). Acute renal, hepatic or neurological dysfunction. Hospitalization in the intensive care unit or death.

Secondary outcomes**1****Description**

Occurrence of solicited adverse events

Timepoint

Up to 7 days after each dose

Method of measurement

Checkup, history checking and participants reports based on adverse event reporting system

2**Description**

Occurrence of unsolicited adverse events.

Timepoint

Up to 28 days after each dose.

Method of measurement

Checkup, history checking and participants reports based on adverse event reporting system

3**Description**

Occurrence of serious adverse events and suspected unexpected serious adverse events

Timepoint

within 6 months after the second dose

Method of measurement

Checkup, history checking and participants reports based on adverse event reporting system

Intervention groups

1

Description

Intervention group: Injecting one dose of 1 ml solution of SpikoGen® vaccine containing recombinant SARS-CoV-2-S protein and Advax™ and CpG adjuvants in the non-dominant arm on days 0 and 21

Category

Prevention

2

Description

Control group: Injecting one dose of 1 ml placebo containing normal saline (0.9% NaCl solution) in non-dominant arm on days 0 and 21

Category

Placebo

Recruitment centers

1

Recruitment center**Name of recruitment center**

Espinas Palace Hotel

Full name of responsible person

Payam Tabarsi- Masoud Mardani Dashti

Street address

Espinas Palace Hotel, No.33 Alley, Abedi Street, Behroud Sq., Saadat Abad, Tehran, Iran

City

Tehran

Province

Tehran

Postal code

1981846911

Phone

+98 21 7567 5000

Email

reservation.p@espinahotels.com

Sponsors / Funding sources

1

Sponsor**Name of organization / entity**

CinnaGen Company

Full name of responsible person

Dr. Haleh Hamedifar

Street address

No.72, CinnaGen research and production Company. Simin Dasht Industrial Park, Karaj, Alborz, Iran

City

Karaj

Province

Tehran

Postal code

3165933155

Phone

+98 26 3667 0980

Email

cinnagen@cinnagen.com

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

CinnaGen Company

Proportion provided by this source

100

Public or private sector

Private

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Industry

Person responsible for general inquiries

Contact**Name of organization / entity**

Orchid Pharmed

Full name of responsible person

Nassim Anjidani

Position

Medical Department Manager

Latest degree

Medical doctor

Other areas of specialty/work

Medical Pharmacy

Street address

No 42. Attar sq, Attar st, Valiasr st, Vanak sq, Tehran, Iran

City

Tehran

Province

Tehran

Postal code

1994766411

Phone

+98 21 4347 3000

Email

anjidani.n@orchidpharmed.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Shahid Beheshti University of medical Sciences

Full name of responsible person
Payam Tabarsi

Position
Professor

Latest degree
Specialist

Other areas of specialty/work
Infectious diseases

Street address
Masih Daneshvari Hospital, Darabad, Niavaran

City
Tehran

Province
Tehran

Postal code
19569-44413

Phone
+98 21 2712 3000

Email
tabarsi@nritld.ac.ir

Person responsible for updating data

Contact

Name of organization / entity
Orchid Pharmed

Full name of responsible person
Nassim Anjidani

Position
Medical Department Manager

Latest degree
Medical doctor

Other areas of specialty/work
Medical Pharmacy

Street address
No 42. Attar sq, attar st, valiasr st, vanak sq, Tehran,
Iran

City
Tehran

Province
Tehran

Postal code
1994766411

Phone
+98 21 4347 3000

Email
Anjidani.n@orchidpharmed.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Not applicable

Data Dictionary

Not applicable

Title and more details about the data/document

Participants' data will be available for regulatory and ethics committee for decisions.

When the data will become available and for how long

Documents including study protocol and the results will be available to the public after the study ends.

To whom data/document is available

The regulatory body and the ethics committee will have access to the study data. The monitoring team will have access to the study data during the conduct. DSMB will have access to the study data and results in predefined timelines and decides about the continuation of the study.

Under which criteria data/document could be used

With the permission of the sponsor and the approval of regulatory

From where data/document is obtainable

The study sponsor is responding to this request

What processes are involved for a request to access data/document

The study sponsor is responding to this request

Comments