

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

19 Jun 2026

### Comparison of the effect of dexmedetomidine and remifentanyl in reducing paranasal sinus surgery bleeding: a double-blind randomized clinical trial

#### Protocol summary

##### Study aim

Comparison of the effect of dexmedetomidine and remifentanyl in reducing paranasal sinus surgical bleeding

##### Design

A clinical trial with a control group, parallel groups, double-blind, randomized, phase 3 per 100 patients. Computer-generated random numbers will be used for randomization.

##### Settings and conduct

This study was designed to compare the effect of dexmedetomidine and remifentanyl on reducing surgical bleeding in patients undergoing paranasal sinus and septoplasty and rhinoplasty, who were referred to Kowsar Hospital in Sanandaj After dividing the patients by randomization method and generating computer random numbers, patients in intervention group 1, dexmedetomidine at a dose of 0.2 µg / kg / h and patients in intervention group 2, remifentanyl at a dose of 0.25 µg / kg / min by infusion Will receive. In order to blind the study, patients, specialist physicians and patient evaluators are not aware of the grouping of patients.

##### Participants/Inclusion and exclusion criteria

Inclusion criteria: Age 18 to 45 years; Patient in class 1 or 2 ASA physical status; Patients who have been referred for paranasal sinus surgery, septoplasty, and rhinoplasty. Exclusion criteria: History of heart disease, hypertension, kidney, liver, lung and blood coagulation disorders; History of mental health problems; Patients receiving antihypertensive drugs Patients receiving NSAIDs; Patients with a BMI greater than 30.

##### Intervention groups

Group 1 intervention: After anesthesia in a similar plan, group A patients will receive dexmedetomidine at a dose of 0.2 µg / kg per hour as an infusion. Intervention group 2: After anesthesia in a similar plan, patients in group B

will receive remifentanyl at a dose of 0.25 µg / kg / min as an infusion.

##### Main outcome variables

Bleeding

#### General information

##### Reason for update

##### Acronym

##### IRCT registration information

IRCT registration number: **IRCT20220222054094N1**

Registration date: **2022-02-27, 1400/12/08**

Registration timing: **prospective**

Last update: **2022-02-27, 1400/12/08**

Update count: **0**

##### Registration date

2022-02-27, 1400/12/08

##### Registrant information

##### Name

Negin Maghsoumi

##### Name of organization / entity

##### Country

Iran (Islamic Republic of)

##### Phone

+98 87 3361 1231

##### Email address

maghsouminegin@gmail.com

##### Recruitment status

**Recruitment complete**

##### Funding source

##### Expected recruitment start date

2022-04-04, 1401/01/15

##### Expected recruitment end date

2023-04-04, 1402/01/15

##### Actual recruitment start date

empty  
**Actual recruitment end date**  
empty  
**Trial completion date**  
empty

**Scientific title**  
Comparison of the effect of dexmedetomidine and remifentanyl in reducing paranasal sinus surgery bleeding: a double-blind randomized clinical trial

**Public title**  
Comparison of the effect of dexmedetomidine and remifentanyl in reducing paranasal sinus surgery bleeding

**Purpose**  
Prevention

**Inclusion/Exclusion criteria**

**Inclusion criteria:**

Age 18 to 45 years Patient in class 1 or 2 ASA physical status Patients who have referred for para-nasal sinus surgery, septoplasty and rhinoplasty

**Exclusion criteria:**

History of heart disease, hypertension, kidney, liver and lung and blood coagulation disorders History of mental health problems Patients receiving anti-hypertensive drugs Patients receiving NSAIDs Patients with a BMI greater than 30

**Age**  
From **18 years** old to **45 years** old

**Gender**  
Both

**Phase**  
3

**Groups that have been masked**

- Participant
- Care provider
- Outcome assessor

**Sample size**  
Target sample size: **100**

**Randomization (investigator's opinion)**  
Randomized

**Randomization description**  
Sampling will be done randomly using computer generated random numbers. Thus, each "odd number" produced belongs to group 1 (intervention group) and each randomly generated "even number" belongs to group 2 (patient placement in the control group)

**Blinding (investigator's opinion)**  
Double blinded

**Blinding description**  
To blind the study, patients do not know which study groups they are in. Also, the prepared medication (dexmedetomidine or remifentanyl), in the same volume and appearance, is prepared and coded by a nurse colleague who is not present in the study. The anesthesiologist who also performs the procedure is not aware of the prescription drug and the grouping of patients. Patients will be evaluated by an anesthesia assistant who is not in the study group.

**Placebo**  
Not used

**Assignment**  
Parallel

**Other design features**

**Secondary Ids**  
empty

**Ethics committees**

**1**

**Ethics committee**

**Name of ethics committee**

Research Ethics Committees of Kurdistan University of Medical Sciences

**Street address**

Pasdaran Blvd

**City**

Sanandaj

**Province**

Kurdistan

**Postal code**

6617913446

**Approval date**

2022-01-25, 1400/11/05

**Ethics committee reference number**

IR.MUK.REC.1400.281

**Health conditions studied**

**1**

**Description of health condition studied**

Bleeding during paranasal sinus surgery

**ICD-10 code**

**ICD-10 code description**

**Primary outcomes**

**1**

**Description**

Bleeding

**Timepoint**

Intervals of 15 minutes during surgery

**Method of measurement**

The amount of bleeding during the operation will be recorded based on the surgeon's comments and according to the quality of the surgical field, as well as the amount of bleeding based on the 5-point Likert scale in 15-minute intervals during the surgery. Score 1: Uncontrolled bleeding, Score 2: Severe bleeding, surgical field is distorted immediately after suction, Score 3: Moderate bleeding, frequent suction required, vision in the surgical field is moderate, Score 4: Minor bleeding, occasional suction required, vision in the surgical field is good, Score 5: No bleeding in the surgical field, almost bloodless. The amount of blood sucked in the suction bottle will also be measured (by calculating the amount of serum used for washing and reducing it from the total volume). Blood gases will also be weighed at the end of

the operation using a heat scale.

## Secondary outcomes

### 1

#### Description

Pain

#### Timepoint

Recovery period and every 2 hours to 6 hours after the recovery period

#### Method of measurement

Using the Visual Analogue Scale (VAS), which is a numerical scoring scale (zero painless to 10 highest pain), based on patient's statement.

### 2

#### Description

Vital sign (Mean arterial pressure, heart rate and SPo2)

#### Timepoint

Mean arterial pressure, heart rate and SPo2 will be recorded at 1 minute after intubation and then every 5 minutes to half an hour and then every 15 minutes until the end of the surgery. It will also be measured at 15 minute intervals during the recovery period.

#### Method of measurement

Patient bedside monitoring device(Non invasive blood pressure, Pulse oximetry )

### 3

#### Description

Sedation - Agitation

#### Timepoint

At Recovery period

#### Method of measurement

Using the 7-point sedation-Agitation Scale (Riker)

## Intervention groups

### 1

#### Description

Intervention group: After anesthesia induction in a similar plan, patients will receive dexmedetomidine (Precedex- Pfizer) at a dose of 0.2 µg / kg per hour as an infusion.

#### Category

Treatment - Drugs

### 2

#### Description

Intervention group: After anesthesia induction in a similar plan, patients will receive remifentanyl (Ultiva - Mylan) at a dose of 0.25 µg / kg / min as an infusion.

#### Category

Treatment - Drugs

## Recruitment centers

### 1

#### Recruitment center

##### Name of recruitment center

Kowsar Hospital

##### Full name of responsible person

Behzad Ahsan

##### Street address

Hamdi Blvd - Pasdaran Blvd

##### City

Sanandaj

##### Province

Kurdistan

##### Postal code

6617713663

##### Phone

+98 87 3361 1232

##### Email

KOWSAR@MUK.AC.IR

## Sponsors / Funding sources

### 1

#### Sponsor

##### Name of organization / entity

Sanandaj University of Medical Sciences

##### Full name of responsible person

Afshin Maleki

##### Street address

Pasadaran Blvd

##### City

Sanandaj

##### Province

Kurdistan

##### Postal code

6617713446

##### Phone

+98 87 3366 4643

##### Email

Research@muk.ac.ir

##### Grant name

##### Grant code / Reference number

##### Is the source of funding the same sponsor organization/entity?

Yes

##### Title of funding source

Sanandaj University of Medical Sciences

##### Proportion provided by this source

100

##### Public or private sector

Public

##### Domestic or foreign origin

Domestic

##### Category of foreign source of funding

empty

##### Country of origin

##### Type of organization providing the funding

Academic

## Person responsible for general inquiries

### Contact

**Name of organization / entity**

Sanandaj University of Medical Sciences

**Full name of responsible person**

Behzad Ahsan

**Position**

Associate professor

**Latest degree**

Specialist

**Other areas of specialty/work**

Anesthesiology

**Street address**

Kowsar Hospital - Hamdi Blvd- Pasdaran Blvd

**City**

Sanandaj

**Province**

Kurdistan

**Postal code**

66177-13663

**Phone**

+98 87 3361 1231

**Email**

behzadahsan@gmail.com

## Person responsible for scientific inquiries

### Contact

**Name of organization / entity**

Sanandaj University of Medical Sciences

**Full name of responsible person**

Behzad Ahsan

**Position**

Associate professor

**Latest degree**

Specialist

**Other areas of specialty/work**

Anesthesiology

**Street address**

Kowsar Hospital - Hamdi Blvd- Pasdaran Blvd

**City**

Sanandaj

**Province**

Kurdistan

**Postal code**

66177-13663

**Phone**

+98 87 3361 1231

**Email**

behzadahsan@gmail.com

## Person responsible for updating data

### Contact

**Name of organization / entity**

Sanandaj University of Medical Sciences

**Full name of responsible person**

Negin Maghsoumi

**Position**

Resident

**Latest degree**

Medical doctor

**Other areas of specialty/work**

Anesthesiology

**Street address**

Pasdaran Blvd

**City**

Sanandaj

**Province**

Kurdistan

**Postal code**

6617713663

**Phone**

+98 87 3361 1231

**Fax****Email**

maghsouminegin@gmail.com

## Sharing plan

**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

**Study Protocol**

Undecided - It is not yet known if there will be a plan to make this available

**Statistical Analysis Plan**

Not applicable

**Informed Consent Form**

Undecided - It is not yet known if there will be a plan to make this available

**Clinical Study Report**

Undecided - It is not yet known if there will be a plan to make this available

**Analytic Code**

Not applicable

**Data Dictionary**

Undecided - It is not yet known if there will be a plan to make this available