

Clinical Trial Protocol

Iranian Registry of Clinical Trials

11 Sep 2026

Comparing the effect of high-power laser and Meloxicam in improving shoulder joint function and pain of patients with rotator cuff tendinopathy

Protocol summary

Study aim

Determining the effect of high-power laser on improving shoulder pain and movement in patients with rotator cuff tendinopathy

Design

A clinical trial with the control group, with parallel groups, double-blind, randomized, phase 3 on 42 patients

Settings and conduct

This randomized double-blind clinical trial study is performed in Al-Zahra and Kashani hospitals of Isfahan. In this study, 42 patients with rotator cuff tendinopathy will be included in the study and will be randomly divided into two groups. Patients in the first group will be treated only with high-power laser and patients in the second group will be treated with meloxicam tablets. The pain intensity and improvement in shoulder movement will then be assessed.

Participants/Inclusion and exclusion criteria

Inclusion criteria: patients with unilateral rotator cuff tendinopathy, previous normal radiograph of the shoulder, age range of 18-65 years, duration of symptoms less than 3 months, no other therapeutic intervention during the last 3 months such as steroid injection into the Shoulder joint or physiotherapy, the absence of contraindications to laser, consent to participate in the study. Exclusion criteria included having a history of surgery, having a fracture near the shoulder, severe direct or indirect trauma injuries, generalized disorders of the musculoskeletal system or neurological disorders, having underlying diseases, drug abuse, inability to communicate and cognitive impairment.

Intervention groups

Patients in both groups are instructed in exercises that strengthen the rotator cuff muscles and the shoulder girdle, with repetitions 3 times a day and 3 sets each

time for 20 seconds. Then in the intervention group, high-power laser is performed in 10 sessions and 3 sessions per week. In the control group, meloxicam 15 mg is given once a day for 2 weeks.

Main outcome variables

Pain; Shoulder joint function

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20200825048515N52**

Registration date: **2022-05-12, 1401/02/22**

Registration timing: **prospective**

Last update: **2022-05-12, 1401/02/22**

Update count: **0**

Registration date

2022-05-12, 1401/02/22

Registrant information

Name

Asieh Maghami Mehr

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 31 0000 0000

Email address

asimaghami@yahoo.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2022-05-22, 1401/03/01

Expected recruitment end date

2022-09-22, 1401/06/31

Actual recruitment start date
empty

Actual recruitment end date
empty

Trial completion date
empty

Scientific title
Comparing the effect of high-power laser and Meloxicam in improving shoulder joint function and pain of patients with rotator cuff tendinopathy

Public title
The effect of high-power laser in the recovery of patients with rotator cuff tendinopathy

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
Patients with unilateral rotator cuff tendonitis Previous normal radiograph of the shoulder Age between 18 and 65 years Symptoms last less than 3 months Failure to perform any other therapeutic intervention during the last 3 months such as steroid injection into the shoulder joint or physiotherapy No contraindications to performing lasers Satisfaction to participate in the study
Exclusion criteria:
History of surgery Having a fracture near the shoulder Severe direct or indirect injuries following traction Generalized disorders of the musculoskeletal system or nervous disorders Having underlying diseases (including hypertension, coagulation disorders, heart disease, liver disease, kidney disease, cancer) drug abuse Inability to communicate and cognitive impairment

Age
From **18 years** old to **65 years** old

Gender
Both

Phase
3

Groups that have been masked

- Participant
- Investigator
- Outcome assessor
- Data analyser

Sample size
Target sample size: **42**

Randomization (investigator's opinion)
Randomized

Randomization description
The method is permuted block randomization. In this way, at first using online software (sealedenvelope), a sequence of random numbers will be created and by the same software, the generated numbers will be divided into 7 blocks of size 6. Which is an equal number in each block will be 3 items from the intervention group and 3 items from the control group. So by using each block, 3 patients (equally) will be assigned to each group.

Blinding (investigator's opinion)
Double blinded

Blinding description
Due to the different nature of the intervention in the two groups, the Care provider is aware of the type of intervention in each group. But the patient is not aware of the difference in treatment between the two groups. Also, the Outcome assessor and data analyzer of the two groups will not have information.

Placebo
Not used

Assignment
Parallel

Other design features

Secondary Ids
empty

Ethics committees

1

Ethics committee
Name of ethics committee
Ethics committee of Isfahan University of Medical Sciences
Street address
Isfahan University of Medical Sciences, Hezar Jarib Ave., Azadi Sq
City
Isfahan
Province
Isfahan
Postal code
8179964167
Approval date
2022-04-07, 1401/01/18
Ethics committee reference number
IR.MUI.MED.REC.1401.005

Health conditions studied

1

Description of health condition studied
Rotator cuff tendinopathy
ICD-10 code
M75.11
ICD-10 code description
Incomplete rotator cuff tear or rupture not specified as traumatic

Primary outcomes

1

Description
Pain
Timepoint
Before, immediately and three months after the intervention
Method of measurement
Visual Analog Scale (VAS)

Secondary outcomes

1

Description

Shoulder joint function

Timepoint

Before, immediately and three months after the intervention

Method of measurement

Disabilities of the Arm, Shoulder and Hand outcome Measure (DASH)

Intervention groups

1

Description

Intervention group: After reducing the patient's pain, the patient is taught the exercises that strengthen the rotator cuff muscles and the shoulder girdle by repeating 3 times a day and 3 sets each time for 20 seconds. Patients are then treated with a high-power laser. So that, in the first stage, a slow scan (100 square cm²/minute) is performed along the rotator cuff tendons with an average of 10-15 J/cm², which is the maximum energy received in this stage is 3000 J. In the second stage, on the painful points of the muscles around the shoulder and the joint line in the front, back, and outside of the joint, and on the patient's acromioclavicular joint, 10-15 J/cm² are applied at each point and the maximum energy received in this stage is 2000 J. The output power of each wavelength will be set to 810 by 3 watts and output by 1.5 W, wavelength 910 by 300 W and output by 0.1 W, wavelength 1064 by 2 watts and output by 1 W. The pulse frequency is set to 6,000 and the duty cycle to 50%, with a total output power of 2.6 W. The number of laser sessions for each patient will be 10 alternating sessions of 3 sessions per week.

Category

Other

2

Description

Control group: After reducing the patients' pain, the patient is taught the exercises that strengthen the rotator cuff muscles and the shoulder girdle by repeating 3 times a day and 3 sets each time for 20 seconds. Patients will then be given 15 mg of meloxicam tablets with food once daily for 2 weeks.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Al-Zahra Hospital

Full name of responsible person

Raziye Maghroori

Street address

Hezar Jarib Street.

City

Isfahan

Province

Isfahan

Postal code

8174673461

Phone

+98 31 3620 2020

Email

maghroori@mui.ac.ir

Web page address

2

Recruitment center

Name of recruitment center

Kashani Hospital

Full name of responsible person

Razieh Maghroori

Street address

Physical Medicine and Rehabilitation Department, Kashani Hospital, Kashani Street.

City

Isfahan

Province

Isfahan

Postal code

8183983434

Phone

+98 31 3233 0091

Email

maghroori@mui.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Mansour Siavash Dastjerdi

Street address

Vice Chancellor for Research, School of Medicine, Hezar Jarib Street, Isfahan.

City

Isfahan

Province

Isfahan

Postal code

8174673461

Phone

+98 31 3668 8597

Email

dean@med.mui.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

No
Title of funding source
Isfahan University of Medical Sciences
Proportion provided by this source
100
Public or private sector
Public
Domestic or foreign origin
Domestic
Category of foreign source of funding
empty
Country of origin
Type of organization providing the funding
Academic

Person responsible for general inquiries

Contact

Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Razieh Maghroori
Position
Assistant Professor
Latest degree
Subspecialist
Other areas of specialty/work
Physical Medicine
Street address
Physical and Rehabilitation Department, Kashani
Hospital, Kashani St., Isfahan
City
Isfahan
Province
Isfahan
Postal code
8183983434
Phone
+98 31 3233 0091
Email
maghroori@mui.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Razieh Maghroori
Position
Assistant Professor
Latest degree
Subspecialist
Other areas of specialty/work
Physical Medicine
Street address

Physical and Rehabilitation Department, Kashani
Hospital, Kashani St., Isfahan

City
Isfahan
Province
Isfahan
Postal code
8183983434
Phone
+98 31 3233 0091
Email
maghroori@mui.ac.ir

Person responsible for updating data

Contact

Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Hosein Mohammadi Berimanloo
Position
Non-faculty specialist physician
Latest degree
Specialist
Other areas of specialty/work
Physical Medicine
Street address
Physical and Rehabilitation Department, Kashani
Hospital, Kashani St., Isfahan
City
Isfahan
Province
Isfahan
Postal code
8183983434
Phone
+98 31 3233 0091
Email
Hoseinmohammadi753@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

There is no further information

Study Protocol

No - There is not a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available