

Clinical Trial Protocol

Iranian Registry of Clinical Trials

30 Oct 2026

Studying the bolus dose of Dexmedetomidine effect in attenuating hemodynamic stress response to laryngoscopy and tracheal intubation in hypertensive patients

Protocol summary

Study aim

Assessment of bolus dose of Dexmedetomidine effect in attenuating hemodynamic stress response to laryngoscopy and tracheal intubation in hypertensive patients

Design

A randomized double-blinded clinical trial on 70 patients with or without hypertension as study and control groups. Randomization using Random allocation software allocated to 35 patient groups.

Settings and conduct

The research will be carried out in Urmia Emam Khomeini Hospital, affiliated to Urmia University of Medical Sciences. Dexmedetomidine at 4 microgram per kilogram of body weight concentration prepared in 50 cc syringes will be infused during 10 minutes for the study group and the control group will receive a normal saline infusion. Drug and placebo are indistinguishable. Anesthesia will be induced using 1% propofol until the losing eyelid reflex and Atracurium will be injected at 4mg/Kg dose. After 3 minutes of mask ventilation, the patient will be intubated and hemodynamic changes including heart rate, MAP, DBP, and SBP will be recorded at T0(basic hemodynamics), T1(5 minutes after drug injection)T2(after induction of anesthesia), T3(1 minute after induction), T4(3 minutes after intubation), T5(5 minutes after intubation) and T6(10 minutes after intubation).

Participants/Inclusion and exclusion criteria

Inclusion criteria:Normotensive patients, stage I-II hypertensive patients at age 40-70 Exclusion criteria: patients under age 40 and above 70, stage III hypertension, patient refusal

Intervention groups

The study group patients will get a bolus IV infusion of dexmedetomidine before general anesthesia induction and the control group patients will get normal saline.

Main outcome variables

Systolic, diastolic, mean arterial blood pressure, and heart rate.

General information

Reason for update

Acronym

SBP,DBP,MAP,HR

IRCT registration information

IRCT registration number: **IRCT20151219025600N5**

Registration date: **2024-07-24, 1403/05/03**

Registration timing: **prospective**

Last update: **2024-07-24, 1403/05/03**

Update count: **0**

Registration date

2024-07-24, 1403/05/03

Registrant information

Name

Shahram Shokohi

Name of organization / entity

Urmia University Of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 44 3346 8967

Email address

shokohi.sh@umsu.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2024-07-31, 1403/05/10

Expected recruitment end date

2025-01-29, 1403/11/10

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Studying the bolus dose of Dexmedetomidine effect in attenuating hemodynamic stress response to laryngoscopy and tracheal intubation in hypertensive patients

Public title

Bolus dose of dexmedetomidine effect on hemodynamic response to laryngoscopy

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

normotensive Patients Stage I-II hypertensive patients patients at age 40-70

Exclusion criteria:

Difficult intubation BMI more than 30 Patient receiving Clonidine Pregnancy Laryngoscopy more than 20 seconds Emergency surgery Patients with heart blocks ASA class III and more Patients with pheochromocytoma Patients with thyroid disorders Patients with neuropathy

Age

From **40 years** old to **70 years** old

Gender

Both

Phase

3

Groups that have been masked

- Participant
- Investigator
- Outcome assessor

Sample size

Target sample size: **70**

Randomization (investigator's opinion)

Randomized

Randomization description

The patients by block randomization will be allocated to equal groups of study and placebo using "random allocation" software providing computerized numbers. The numbers will be written on envelopes containing the drug or placebo notes and will be delivered to the anesthesia nurse as sealed.

Blinding (investigator's opinion)

Double blinded

Blinding description

The patient and the researcher who evaluates the outcomes will not informed of patients allocation to the study and control groups. Both drug and placebo will be colorless prepared and injected in 50 cc syringes at equal volumes. Each patient will allocate a number using randomization allocation software in sealed envelopes containing the drug or placebo delivered to the anesthesia nurse. The researcher will not be informed of syringe content.

Placebo

Used

Assignment

Other

Other design features

no more explanation

Secondary Ids

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Research Ethics Committees of Urmia Univerity of Medical Scineces-Imam Khomeini University Hospital

Street address

Imam Khomein teaching hospitalT Ershad street

City

Urmia

Province

West Azarbaijan

Postal code

5715789397

Approval date

2024-02-28, 1402/12/09

Ethics committee reference number

IR.UMSU.HIMAM.REC.1402.162

Health conditions studied**1****Description of health condition studied**

Arterial Blood Pressure

ICD-10 code

I10

ICD-10 code description

Hypertension
(arterial)(benign)(essential)(malignant)(primary)(systemic)

Primary outcomes**1****Description**

Systolic blood pressure

Timepoint

At time zero(basic hemodynamics),T1(5 minutes after drug or placebo injection),T2(after induction of general anesthesia) T3(one minute after tracheal intubation),T4(3 minutes after intubation) T5(5 minutes after intubation) T6(10 minutes after intubation)

Method of measurement

Measuring using electronic cardiovascular monitoring device

2

Description

Diastolic blood pressure

Timepoint

At time zero(basic hemodynamics),T1(5 minutes after drug or placebo injection),T2(after induction of general anesthesia) T3(one minute after tracheal intubation),T4(3 minutes after intubation) T5(5 minutes after intubation) T6(10 minutes after intubation)

Method of measurement

Measuring using electronic cardiovascular monitoring device

3

Description

Mean arterial pressure

Timepoint

At time zero(basic hemodynamics),T1(5 minutes after drug or placebo injection),T2(after induction of general anesthesia) T3(one minute after tracheal intubation),T4(3 minutes after intubation) T5(5 minutes after intubation) T6(10 minutes after intubation)

Method of measurement

Measuring using electronic cardiovascular monitoring device

4

Description

Heart rate

Timepoint

At time zero(basic hemodynamics),T1(5 minutes after drug or placebo injection),T2(after induction of general anesthesia) T3(one minute after tracheal intubation),T4(3 minutes after intubation) T5(5 minutes after intubation) T6(10 minutes after intubation)

Method of measurement

Measuring using electronic cardiovascular monitoring device

Secondary outcomes

1

Description

Hypnotic drug(propofol) induction dose in patients with hypertensive disease

Timepoint

At the end of anesthesia induction

Method of measurement

Propofol dose needed for induction of anesthesia as milligram

Intervention groups

1

Description

Intervention group:Patients without or with hypertension class I-II at age 40-70

Category

Treatment - Drugs

2

Description

Control group: Patients without or with hypertension class I-II at age 40-70 receiving placebo (normal saline infusion)

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Imam khomeini University hospital of Urmia

Full name of responsible person

Shahram Shokohi

Street address

Ershad street, Modarres Boulevard

City

Urmia

Province

West Azarbaijan

Postal code

5715789397

Phone

+98 44 3346 9931

Fax

+98 44 3345 7277

Email

emam-urm@umsu.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Oroumia University of Medical Sciences

Full name of responsible person

Saber Gholizade

Street address

Emergency street

City

Urmia

Province

West Azarbaijan

Postal code

5714783734

Phone

+98 44 3193 7224

Fax

+98 44 3193 7224

Email

research@umsu.ac.ir

Grant name

Non-use of financial grants

Grant code / Reference number

Is the source of funding the same sponsor

organization/entity?

Yes

Title of funding source

Oroumia University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding*empty***Country of origin****Type of organization providing the funding**

Academic

Person responsible for general inquiries**Contact****Name of organization / entity**

Oroumia University of Medical Sciences

Full name of responsible person

Shahram Shokohi

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Anesthesiology

Street address

Ersahd street, Modarres boulevard, Imam Khomeini University hospital

City

Urmia

Province

West Azarbaijan

Postal code

5715789397

Phone

+98 44 3346 9931

Email

shokohi.sh@umsu.ac.ir

Person responsible for scientific inquiries**Contact****Name of organization / entity**

Oroumia University of Medical Sciences

Full name of responsible person

Shahram Shokohi

Position

Assistant professor

Latest degree

Specialist

Other areas of specialty/work

Anesthesiology

Street address

Imam khomeini Univerity hospital, Ershad street, Modarres boulevard ,

City

Urmia

Province

West Azarbaijan

Postal code

5715789397

Phone

00484433469931

Email

shokohi.sh@umsu.ac.ir

Person responsible for updating data**Contact****Name of organization / entity**

Oroumia University of Medical Sciences

Full name of responsible person

Shahram Shokohi

Position

Assisstant professor

Latest degree

Specialist

Other areas of specialty/work

Anesthesiology

Street address

Emam Khomeini University hospital, Ershad street, Modarres boulevard

City

Urmia

Province

West Azarbaijan

Postal code

5715789397

Phone

+98 44 3346 9931

Email

shokohi.sh@umsu.ac.ir

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Yes - There is a plan to make this available

Title and more details about the data/document

Demographic and primary outcome data without identification can be shared.

When the data will become available and for how long

Research data will be available until April 2025 and there after.

To whom data/document is available

Only medical academic researchers have access to data.

Under which criteria data/document could be used

No other condition is necessary for access.

From where data/document is obtainable

Correspondent researcher Shahram Shokoohi
shokohi.sh@umsu.ac.ir

What processes are involved for a request to access

data/document

Write to the corresponding researcher Shahram Shokoohi
shokohi.sh@umsu.ac.ir

Comments

no more explanation