

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

10 Jun 2026

### Comparison of the Effectiveness of High-Intensity Laser Therapy (HPLT) and Low-Level Laser Therapy (LLLT) in the Management of Idiopathic facial nerve palsy (Bell's palsy)

#### Protocol summary

##### Study aim

The effectiveness of high-power laser therapy , low-power laser therapy on improving physical function, quality of life, facial palsy severity, and nerve conduction in patients with Bell's palsy

##### Design

A randomized, double-blind, controlled clinical trial on 30 patients with Bell's palsy.

##### Settings and conduct

Patients with acute Bell's palsy diagnosed by neurologists from 3 hospitals are referred to the Shohada Center after starting standard treatment and after obtaining informed consent are randomly assigned to three groups: HPLT treatment, LLLT treatment, and sham laser treatment. Before starting laser therapy (time zero), patients evaluated using the questionnaires, and a conduction study will be taken from the facial nerve. Subsequently, 10 sessions of laser therapy (every other day) will be performed. For follow-up, immediately after the end of treatment and one month later, patients will be evaluated again using the questionnaires and edx evaluation, and will be analyzed.

##### Participants/Inclusion and exclusion criteria

Inclusion criteria: Age 18-70 years, acute unilateral Bell's palsy within the past 10 days, Beckman score  $\geq 3$  at base, standard drug therapy informed consent. Exclusion criteria: palsy other than Bell's, previous history of Bells , history of laser sensitivity or conditions that contraindications, malignancy, pregnancy or lactation, chronic neurological diseases, physiotherapy before study

##### Intervention groups

Patients in high-power and low-power laser groups will receive 10 sessions of laser therapy. In the placebo group, patients will lie on a bed for 10 sessions and be positioned in exactly the same location as the laser therapy groups but no laser radiation will be applied.

#### Main outcome variables

effectiveness of HPLT and LLLT on improving physical function, quality of life, facial paralysis severity, and nerve conduction in patients with Bell's palsy

#### General information

##### Reason for update

##### Acronym

##### IRCT registration information

IRCT registration number: **IRCT20260201068723N1**

Registration date: **2026-02-16, 1404/11/27**

Registration timing: **prospective**

Last update: **2026-02-16, 1404/11/27**

Update count: **0**

##### Registration date

2026-02-16, 1404/11/27

##### Registrant information

##### Name

Mohammadreza Saadati

##### Name of organization / entity

##### Country

Iran (Islamic Republic of)

##### Phone

+98 25 3294 0954

##### Email address

mohammadrezasaadati1373@gmail.com

##### Recruitment status

**recruiting**

##### Funding source

##### Expected recruitment start date

2026-02-20, 1404/12/01

##### Expected recruitment end date

2026-08-23, 1405/06/01

##### Actual recruitment start date

empty  
**Actual recruitment end date**  
empty  
**Trial completion date**  
empty

**Scientific title**

Comparison of the Effectiveness of High-Intensity Laser Therapy (HPLT) and Low-Level Laser Therapy (LLLT) in the Management of Idiopathic facial nerve palsy (Bell's palsy)

**Public title**

Comparison of the effects of low-power and high-power lasers in the treatment of Bell's palsy

**Purpose**

Treatment

**Inclusion/Exclusion criteria**

**Inclusion criteria:**

1. Age between 18 and 70 years old
2. Diagnosis of acute unilateral Bell's palsy within the past 10 days. The diagnosis must be made clinically and by ruling out other causes.
3. House-Brackmann scale score  $\geq 3$  at baseline
4. Receive standard drug treatment (corticosteroids  $\pm$  antiviral drugs)
5. Ability and willingness to provide written informed consent
6. Possibility to attend follow-up meetings until the end

**Exclusion criteria:**

1. Facial palsy with a cause other than Bell's palsy, such as: stroke, tumors (such as acoustic neuroma), Lyme disease, Ramsey-Hunt syndrome, trauma or surgical injury
2. Previous history of Bell's palsy or facial nerve palsy on the same side
3. History of laser sensitivity or conditions that contraindications to laser use, such as: Photosensitive epilepsy, Use of photosensitizing medications
4. Open wound or active infection or skin disease in the treatment area
5. Presence of malignancy in the face or neck area
6. Pregnancy or breastfeeding
7. major chronic neurological diseases such as MS
8. Participation in other concurrent intervention studies
9. Starting physiotherapy or electrical stimulation before entering the study

**Age**

From **18 years** old to **70 years** old

**Gender**

Both

**Phase**

2-3

**Groups that have been masked**

- Participant
- Investigator
- Outcome assessor
- Data analyser

**Sample size**

Target sample size: **30**

**Randomization (investigator's opinion)**

Randomized

**Randomization description**

In this study, after identifying eligible patients and obtaining written informed consent, patients are randomly assigned to one of three intervention groups:

high-power laser, low-power laser, and placebo laser. Block randomization is used to randomly assign individuals. Randomization is performed in blocks of six with an allocation ratio of 1:1:1. In each block of six, two patients are assigned to each of the three study groups, but the order of patient allocation within each block is determined completely randomly. The unit of randomization in this study is the individual, and each patient is placed in one of the study groups independently and without knowledge of the group allocation of other patients. Stratified randomization is not used in this study. The random sequence is generated by SPSS statistical software and by an individual independent of the research team. After generating the random sequence based on blocks of six, the group allocations are placed in sealed and numbered envelopes in a sequential manner. These envelopes are opened in the order of patients entering the study and by the operator implementing the intervention. The principal investigator, patients, and outcome assessors remain blind to the type of intervention assigned until the end of data collection. Allocation concealment is achieved through the use of sealed and numbered consecutive envelopes. The envelopes and random sequence are prepared by an independent individual.

**Blinding (investigator's opinion)**

Double blinded

**Blinding description**

Participants are unaware of the type of intervention they receive (high-power laser, low-power laser, or placebo laser). The placebo laser is identical to the real laser in terms of device appearance, sound, probe contact with the skin, and treatment duration, and does not emit any effective therapeutic radiation. All participants are informed of their participation in a clinical trial and the possibility of being assigned to each group before entering the study, and written informed consent is obtained from them. The principal investigator of the study is not involved in the process of assigning patients to groups and implementing the intervention, and remains blind to the type of intervention assigned to each patient. The randomization sequence and allocation envelopes are prepared by an individual independent of the research team. The laser interventions are performed by an operator who has no role in data collection or outcome assessment. The operator is aware of the type of laser treatment but does not intervene in the analysis of the results and assessment of the outcomes. The individuals responsible for collecting the data and assessing the clinical outcomes are blinded to the group allocation and have no knowledge of the type of intervention the patients received. The statistical analysis of the data is performed by a researcher who is unaware of the type of intervention each group received, and the groups are identified only by code. Individuals who participate in the preparation of the draft of the article remain blinded to the group allocation until the end of the statistical analysis.

**Placebo**

Used

**Assignment**

Parallel

## Other design features

## Secondary Ids

empty

## Ethics committees

### 1

#### Ethics committee

##### Name of ethics committee

Ethics Committee of Shahid Beheshti University of Medical Sciences

##### Street address

Shahid Beheshti University of Medical Sciences,  
Shahid Arabi St, Yaman St, Shahid Chamran Highway,  
Velenjak, Tehran

##### City

Tehran

##### Province

Tehran

##### Postal code

1983969411

#### Approval date

2026-01-19, 1404/10/29

#### Ethics committee reference number

IR.SBMU.MSP.REC.1404.678

## Health conditions studied

### 1

#### Description of health condition studied

Bell's palsy

#### ICD-10 code

G51.0

#### ICD-10 code description

Bell's palsy

## Primary outcomes

### 1

#### Description

Facial Disability Index (FDI) score

#### Timepoint

Before starting laser therapy (time zero), immediately after the end of treatment with 10 laser sessions, and one month after the end of treatment.

#### Method of measurement

A short, self-report questionnaire consisting of 10 items or questions.

### 2

#### Description

House-Brackmann system score

#### Timepoint

Before starting laser therapy (time zero), immediately after the end of treatment with 10 laser sessions, and one month after the end of treatment.

## Method of measurement

Evaluation of facial nerve function by physician's examination

### 3

#### Description

Sunnybrook Facial Grading System score

#### Timepoint

Before starting laser therapy (time zero), immediately after the end of treatment with 10 laser sessions, and one month after the end of treatment.

#### Method of measurement

Evaluation of facial nerve function by physician's examination

### 4

#### Description

Electrodiagnostic test findings

#### Timepoint

Before starting laser therapy (time zero), immediately after the end of treatment with 10 laser sessions, and one month after the end of treatment.

#### Method of measurement

Findings from muscle and nerve conduction studies

## Secondary outcomes

empty

## Intervention groups

### 1

#### Description

Intervention group: 10 patients with Bell's palsy will undergo 10 sessions of low-level laser treatment.

#### Category

Rehabilitation

### 2

#### Description

Intervention group2: 10 patients with Bell's palsy will undergo 10 sessions of high power laser treatment.

#### Category

Rehabilitation

### 3

#### Description

Intervention group3: 10 patients with Bell's palsy will receive 10 sessions of sham laser treatment.

#### Category

Placebo

## Recruitment centers

### 1

#### Recruitment center

Name of recruitment center

Shohada Tajrish hospital

**Full name of responsible person**

Fatemeh Hojjati

**Street address**

Darband St, Qods Sq, Tajrish St

**City**

Tehran

**Province**

Tehran

**Postal code**

1989934148

**Phone**

+98 21 25719

**Email**

pr-shohada@sbmu.ac.ir

**Web page address**

<https://shmc.sbmu.ac.ir/>

**2**

**Recruitment center**

**Name of recruitment center**

Loghman Hakim Hospital

**Full name of responsible person**

Fatemeh Hojjati

**Street address**

Kamali St, South Kargar St

**City**

Tehran

**Province**

Tehran

**Postal code**

1333635445

**Phone**

+98 21 5541 9005

**Email**

loghman.hospital@sbmu.ac.ir

**Web page address**

<https://lrc.sbmu.ac.ir/>

**3**

**Recruitment center**

**Name of recruitment center**

Imam Hossein hospital

**Full name of responsible person**

Fatemeh Hojjati

**Street address**

Shahid Madani St

**City**

Tehran

**Province**

Tehran

**Postal code**

1617763141

**Phone**

+98 21 7343 3000

**Email**

info@sbmu.ac.ir

**Web page address**

<https://ehmc.sbmu.ac.ir/>

## Sponsors / Funding sources

**1**

**Sponsor**

**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

**Full name of responsible person**

Afshin Zarghi

**Street address**

Velenjak St, Shahriari Sq, Daneshjoo Blvd, Shahid

Arabi St, Shahid Beheshti University of Medical

Sciences

**City**

Tehran

**Province**

Tehran

**Postal code**

193954631

**Phone**

+98 21 23871

**Email**

info@sbmu.ac.ir

**Web page address**

<https://research.sbmu.ac.ir/%D9%85%D8%B9%D8%A7%D9%88%D9%86-%D8%AA%D8%AD%D9%82%DB%8C%D9%82%D8%A7%D8%AA-%D9%88-%D9%81%D9%86-%D8%A2%D9%88%D8%B1%DB%8C>

**Grant name**

**Grant code / Reference number**

**Is the source of funding the same sponsor organization/entity?**

Yes

**Title of funding source**

Shahid Beheshti University of Medical Sciences

**Proportion provided by this source**

100

**Public or private sector**

Public

**Domestic or foreign origin**

Domestic

**Category of foreign source of funding**

*empty*

**Country of origin**

**Type of organization providing the funding**

Academic

## Person responsible for general inquiries

**Contact**

**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

**Full name of responsible person**

Mohammadreza Saadati

**Position**

Resident

**Latest degree**

Medical doctor

**Other areas of specialty/work**

Neurology

**Street address**

No.39, Isar 8 St, Isar Sq, Qom Town

**City**

Tehran

**Province**

Tehran

**Postal code**

3713189773

**Phone**

0098212707471

**Email**

Mohammadrezasaadati1373@gmail.com

**Person responsible for scientific inquiries**

**Contact**

**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

**Full name of responsible person**

Fatemeh Hojjati

**Position**

Associate professor

**Latest degree**

Specialist

**Other areas of specialty/work**

Physical Medicine

**Street address**

Darband St, Qods Sq, Tajrish St

**City**

Tehran

**Province**

Tehran

**Postal code**

1989934148

**Phone**

+98 21 25719

**Email**

fatemehojjati@sbmu.ac.ir

**Person responsible for updating data**

**Contact**

**Name of organization / entity**

Shahid Beheshti University of Medical Sciences

**Full name of responsible person**

Mohammadreza Saadati

**Position**

Resident

**Latest degree**

Medical doctor

**Other areas of specialty/work**

Neurology

**Street address**

No.39, Isar 8 St, Isar Sq, Qom Town

**City**

Tehran

**Province**

Tehran

**Postal code**

3713189773

**Phone**

009832707471

**Email**

Mohammadrezasaadati1373@gmail.com

**Sharing plan**

**Deidentified Individual Participant Data Set (IPD)**

Yes - There is a plan to make this available

**Study Protocol**

Yes - There is a plan to make this available

**Statistical Analysis Plan**

Yes - There is a plan to make this available

**Informed Consent Form**

Yes - There is a plan to make this available

**Clinical Study Report**

Yes - There is a plan to make this available

**Analytic Code**

Yes - There is a plan to make this available

**Data Dictionary**

Yes - There is a plan to make this available

**Title and more details about the data/document**

All data can be shared after de-identifying individuals

**When the data will become available and for how long**

Access period starts after registration of results

**To whom data/document is available**

The data will be available to researchers working in academic and scientific institutions

**Under which criteria data/document could be used**

In order to achieve a treatment protocol for Bell's palsy patients and reduce the damage caused by facial paralysis

**From where data/document is obtainable**

email: Mohammadrezasaadati1373@gmail.com

**What processes are involved for a request to access data/document**

After reviewing the request via email and providing the applicant's goals for the new study

**Comments**