

Clinical Trial Protocol

Iranian Registry of Clinical Trials

27 Jul 2026

Comparative Effects of Different-Intensity Concurrent Training on Metabolic, Inflammatory, and Innate Immune Markers in Individuals with Metabolic Dysfunction-Associated Steatotic Liver Disease: A Randomized Clinical Trial

Protocol summary

Study aim

investigate and compare the effects of different-intensity concurrent training modalities Combined Training Protocol on metabolic, inflammatory, and innate immune markers in individuals with Metabolic Dysfunction-Associated Steatotic Liver Disease .

Design

This randomized controlled clinical trial used a three-arm parallel-group design to compare the effects of different-intensity concurrent training modalities. After eligibility assessment and informed consent, participants were randomly allocated to RT+HIIT, RT+MICT, or control groups. The exercise groups completed a 12-week intervention (three sessions per week), and outcomes were assessed before and after the intervention."

Settings and conduct

This study was designed and supervised by the University of Tehran. The 12-week exercise protocol was conducted at Shahid Kazemian High School Sports Complex in Mashhad under the supervision of researchers. Blood samples were collected before and after the intervention and transferred to the laboratory for analysis.

Participants/Inclusion and exclusion criteria

Participants aged 25–45 years with MASLD confirmed by liver ultrasonography and metabolic risk factors were included. Absence of regular exercise during the previous six months and medical eligibility for exercise participation were required. Individuals with cardiovascular disease, non-MASLD chronic liver diseases, insulin-dependent diabetes, or contraindications to exercise were excluded.

Intervention groups

Group 1: Resistance Training + High-Intensity Interval Training (RT+HIIT) Group 2: Resistance Training + Moderate-Intensity Continuous Training (RT+MICT) Group

3: Control Group

Main outcome variables

"The primary outcomes of this study were changes in the expression of Toll-like receptor 4 (TLR4) and Dectin-1 (CLEC7A) genes in peripheral blood mononuclear cells (PBMCs) following the 12-week exercise intervention

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20260531069583N1**

Registration date: **2026-07-20, 1405/04/29**

Registration timing: **retrospective**

Last update: **2026-07-20, 1405/04/29**

Update count: **0**

Registration date

2026-07-20, 1405/04/29

Registrant information

Name

Mohammadreza Sharbati

Name of organization / entity

University of Tehran

Country

Iran (Islamic Republic of)

Phone

+98 51 3869 0551

Email address

mr.sharati@ut.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2026-04-05, 1405/01/16

Expected recruitment end date

2026-04-09, 1405/01/20

Actual recruitment start date

2026-04-05, 1405/01/16

Actual recruitment end date

2026-04-09, 1405/01/20

Trial completion date

2026-05-26, 1405/03/05

Scientific title

Comparative Effects of Different-Intensity Concurrent Training on Metabolic, Inflammatory, and Innate Immune Markers in Individuals with Metabolic Dysfunction-Associated Steatotic Liver Disease: A Randomized Clinical Trial

Public title

Effects of Different-Intensity Concurrent Training on Metabolic and Inflammatory Health Indicators in Individuals with Metabolic Dysfunction-Associated Steatotic Liver Disease

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Diagnosis of metabolic dysfunction-associated steatotic liver disease (MASLD) confirmed by hepatic steatosis on ultrasonography along with the presence of metabolic risk factors. No participation in regular structured exercise programs during the previous six months. Medical clearance for participation in exercise training and absence of any contraindication to physical activity

Exclusion criteria:

Cardiovascular disease, uncontrolled hypertension, or any medical condition contraindicating exercise participation. Secondary chronic liver diseases, insulin-dependent diabetes mellitus, or severe musculoskeletal disorders limiting exercise performance. Use of medications or conditions that may substantially affect metabolic or inflammatory responses

Age

From **25 years** old to **45 years** old

Gender

Both

Phase

N/A

Groups that have been masked

No information

Sample size

Target sample size: **40**

More than 1 sample in each individual

Number of samples in each individual: **2**

Two fasting blood samples were collected from each participant before and after the 12-week exercise intervention. Blood samples were used for the assessment of biochemical parameters, inflammatory markers, complete blood count indices, and innate immune-related gene expression

Actual sample size reached: **30**

More than 1 sample in each individual

Actual sample size in each individual: **2**

Two fasting blood samples were collected from each participant before and after the 12-week exercise intervention. Blood samples were used for the assessment of biochemical parameters, inflammatory markers, complete blood count indices, and innate immune-related gene expression

Randomization (investigator's opinion)

Randomized

Randomization description

After completion of the baseline assessments, participants were randomly assigned to one of the three study groups using a computer-generated random allocation sequence created in Microsoft Excel (Microsoft Corp., USA). The random sequence was generated before participant assignment, using a 1:1:1 allocation ratio to ensure equal distribution among the RT+HIIT, RT+MICT, and control groups. Each participant was assigned to a group according to the order specified in the predefined randomization sequence, and the allocation process was performed independently of baseline measurements and intervention outcomes.

Blinding (investigator's opinion)

Not blinded

Blinding description**Placebo**

Not used

Assignment

Parallel

Other design features

This study is a randomized controlled clinical trial with a three-arm parallel-group design, including two exercise intervention groups (RT+HIIT and RT+MICT) and a control group. The intervention lasted 12 weeks, and assessments were performed before and after the intervention.

Secondary Ids

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics Committee of the Faculty of Sport Sciences and Health, University of Tehran

Street address

Faculty of Sport Sciences and Health, University of Tehran, North Kargar Street, Tehran, Islamic Republic of Iran

City

tehran

Province

Tehran

Postal code

۱۴۱۷۹۳۵۸۴

Approval date

2026-03-16, 1404/12/25

Ethics committee reference number

Health conditions studied

1

Description of health condition studied

Metabolic Dysfunction-Associated Steatotic Liver Disease

ICD-10 code

K76.0

ICD-10 code description

Fatty (change of) liver, not elsewhere classified

Primary outcomes

1

Description

Changes in innate immune-related gene expression, including TLR4 and Dectin-1 (CLEC7A), in peripheral blood mononuclear cells (PBMCs) following the 12-week exercise intervention were assessed as primary outcomes."

Timepoint

Before the intervention and after completion of the 12-week training program

Method of measurement

TLR4 and Dectin-1 (CLEC7A) gene expression in peripheral blood mononuclear cells (PBMCs) was measured using real-time quantitative PCR (RT-qPCR) and calculated using the $2^{-\Delta\Delta C_t}$ method

2

Description

Changes in liver enzymes, including alanine aminotransferase (ALT) and aspartate aminotransferase (AST), following the 12-week exercise intervention

Timepoint

Before the intervention and after completion of the 12-week training program

Method of measurement

Serum ALT and AST levels were measured using standard biochemical laboratory methods

3

Description

Changes in systemic inflammatory markers, including high-sensitivity C-reactive protein (hs-CRP) and inflammatory ratios (NLR, PLR, MLR, and SIRI), following the 12-week exercise intervention

Timepoint

Before the intervention and after completion of the 12-week training program."

Method of measurement

hs-CRP was measured using standard laboratory methods, and NLR, PLR, MLR, and SIRI were calculated based on peripheral blood cell counts

Secondary outcomes

1

Description

Changes in metabolic parameters, including fasting blood glucose and lipid profile markers such as triglycerides (TG), total cholesterol (TC), HDL-C, and LDL-C, following the 12-week exercise intervention.

Timepoint

Before the intervention and after completion of the 12-week training program.

Method of measurement

Fasting blood glucose and lipid profile parameters were measured using standard biochemical laboratory methods.

Intervention groups

1

Description

Group 1: RT+HIIT12-week concurrent training including resistance training combined with high-intensity interval training, three sessions per week.

Category

Behavior

2

Description

Group 2: RT+MICT12-week concurrent training including resistance training combined with moderate-intensity continuous training, three sessions per week.

Category

Behavior

3

Description

Group 3: ControlParticipants maintained their usual daily activities and did not participate in a structured exercise program during the study period.

Category

N/A

Recruitment centers

1

Recruitment center

Name of recruitment center

arya hospital

Full name of responsible person

iranmanesh

Street address

Golestan Street, Mashhad, Razavi Khorasan Province, Iran

City

Mashhad

Province

Razavi Khorasan

Postal code
۱۴۱۷۹۳۵۸۴.
Phone
+98 915 456 0786
Email
iranmanesh@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity
ut
Full name of responsible person
Dr. Rahman Sourì
Street address
Faculty of Sport Sciences and Health, University of
Tehran, North Kargar Street, Tehran, Iran
City
tehran
Province
Tehran
Postal code
۱۴۱۷۹۳۵۸۴.
Phone
+98 21 8835 1730
Email
infosport@ut.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

No

Title of funding source

ut

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity
University of Tehran
Full name of responsible person
Mohammadreza Sharbati
Position
PhD student in exercise physiology, University of
Tehran
Latest degree
Master
Other areas of specialty/work
Physiology

Street address
North Kargar St
City
Tehran
Province
Tehran
Postal code
mr.sharbati@ut.ac.ir
Phone
+98 51 3869 0551
Fax
Email
mr.sharati@ut.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity
University of Tehran
Full name of responsible person
Mohammadreza Sharbati
Position
PhD student in exercise physiology, University of
Tehran
Latest degree
Master
Other areas of specialty/work
Physiology
Street address
North Kargar St
City
Tehran
Province
Tehran
Postal code
mr.sharbati@ut.ac.ir
Phone
+98 51 3869 0551
Fax
Email
mr.sharati@ut.ac.ir

Person responsible for updating data

Contact

Name of organization / entity
University of Tehran
Full name of responsible person
Mohammadreza Sharbati
Position
PhD student in exercise physiology, University of
Tehran
Latest degree
Master
Other areas of specialty/work
Exercise Physiologist
Street address
North Kargar St
City
Tehran
Province

Tehran

Postal code

9178164971

Phone

+98 51 3869 0551

Fax

Email

mr.sharati@ut.ac.ir

Sharing plan

Deidentified Individual Participant Data Set (IPD)

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

Individual participant data will not be publicly shared to protect participant confidentiality and in accordance with the informed consent obtained from participants

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Yes - There is a plan to make this available

Title and more details about the data/document

The SPSS statistical analysis syntax used in this study will be available upon reasonable scientific request. Individual participant data will not be shared to protect participant confidentiality."

When the data will become available and for how long

From the date of publication of the study results, upon reasonable scientific request.

To whom data/document is available

The principal investigator and research team. Access by other researchers will be considered upon reasonable scientific request, subject to approval by the principal investigator and compliance with ethics requirements

Under which criteria data/document could be used

The data may be used only for scientific research, validation of study findings, and secondary analyses, subject to approval by the principal investigator and compliance with confidentiality and ethics requirements.

From where data/document is obtainable

Dr. Rahman Souri, Principal Investigator, Faculty of Sport Sciences and Health, University of Tehran.

What processes are involved for a request to access data/document

"Requests for data access should be submitted in writing to the Principal Investigator. Requests will be reviewed based on their scientific merit and approved by the Principal Investigator, subject to ethics requirements and protection of participant confidentiality.

Comments